






NOVA Sawing




Ripping
Sizing & Cutting

Scoring

Hogging



MF - Rip Saw Blade



Solid wood



Along

øD	Teeth	Code No.	B	c	☐	ød
200	14	901 00 20 6	3.0	2.0	-	30
250	20	901 00 30 6	3.2	2.2	-	30
	24	901 00 40 6	3.2	2.2	-	30
300	24	901 00 50 6	3.2	2.2	-	30
	30	901 00 60 6	3.2	2.2	2/20x6	70
350	28	901 00 70 6	3.5	2.5	-	30
400	32	901 00 80 6	3.5	2.5	-	30
450	32	901 00 84 6	4.0	2.8	-	30
500	36	901 00 85 6	4.4	3.0	-	30

Manufacturing Technology:




Balance



Straight




Tension




Ripping
Sizing & Cutting

Scoring

Hogging



MFT - Rip Saw Blade



Solid wood



Across
& Along

øD	Teeth	Code No.	B	c	ød
300	24	901 20 20 6	4.0	2.8	30
	24	901 20 30 6	4.4	2.8	30
350	28	901 20 60 6	4.0	2.8	30
	28	901 20 50 6	4.4	2.8	30
400	32	901 21 10 6	4.0	3.0	30
	32	901 20 90 6	4.4	3.0	30

Manufacturing Technology:




Balance




Straight



Tension



SF - Rip Saw Blade - Special for Wet Solid Wood



Solid wood



Along



Wet

øD	Teeth	Code No.	B	c	⌀	ød
250	24	910 00 40 6	3.2	2.2	-	30
300	24	910 00 50 6	3.2	2.2	-	30
	24	910 00 50 0	3.2	2.2	2/2x6	70
350	28	910 00 70 6	3.5	2.5	-	30
400	32	910 00 80 6	3.5	2.5	-	30

⚠ A special carbide - suitable to work with wet wood.

Manufacturing Technology:




Balance



Straight




Tension




Ripping
Sizing & Cutting

Scoring

Hogging



MFG - Rip Saw Blade



Solid wood



Along

øD	Teeth	Code No.	B	c	☐	ød
250	20	901 00 90 6	3.2	2.2	-	30
	24	901 00 95 6	3.2	2.2	-	30
300	14	901 00 97 6	3.2	2.2	-	30
	24	901 01 00 6	3.2	2.2	-	30
	24	901 01 00 0	3.2	2.2	2/20x6	70
	28	901 01 04 6	3.2	2.2	-	30
350	28	901 01 04 0	3.2	2.2	2/20x6	70
	16	901 01 07 6	3.5	2.5	-	30
	28	901 01 10 6	3.5	2.5	-	30
	32	901 01 13 6	3.5	2.5	-	30
400	18	901 01 14 6	3.5	2.5	-	30
	28	901 01 15 6	3.5	2.5	-	30
450	40	901 01 16 6	4.0	2.8	-	30
500	44	901 01 18 6	4.4	3.0	-	30

Manufacturing Technology:



Balance





Straight



Tension




NOVA Sawing




Ripping
Sizing & Cutting

Scoring

Hogging



SFG - Rip Saw Blade - Special for Wet Solid Wood



Solid wood



Along



Wet

øD	Teeth	Code No.	B	c		ød
250	24	910 00 95 6	3.2	2.2		30
300	24	910 01 00 6	3.2	2.2		30
	24	910 01 00 0	3.2	2.2	2/2x6	70
350	28	910 01 10 6	3.5	2.5		30
400	28	910 01 15 6	3.5	2.5		30

⚠ With rakers to prevent the wood from making contact with the saw body.

Manufacturing Technology:




Balance




Straight



Tension



MFGM - Rip Saw Blade



Solid wood



Across
& Along



Wet

øD	Teeth	Code No.	B	c		ød
300	20+2+2	904 00 35 6	3.2	2.2		30
350	24+2+2	904 00 55 6	3.5	2.5		30

⚠ With rakers to prevent the wood from making contact with the saw body.

Manufacturing Technology:




Balance



Straight




Tension




Ripping
Sizing & Cutting

Scoring

Hogging



MFM - Multi Rip Saw Blade



Solid wood



Across
& Along



Wet

øD	Teeth	Code No.	B	c	⌀	ød
250	18+2	904 00 10 0	3.2	2.2	2/20x6	70*
300	20+2+2	904 00 30 0	3.2	2.2	2/20x6	70*
350	24+2+2	904 00 50 0	3.5	2.5	2/20x6	70

⚠ Wet and dry wood.
* Can also be supplied with 30 mm bore.

Manufacturing Technology:




Balance




Straight



Tension



MWO - Cross Cut Saw Blade



Solid wood



Across

øD	Teeth	Code No.	B	c	ød
250	24	908 01 10 6	3.4	2.4	30
	42	908 01 20 6	3.4	2.4	30
300	36	908 01 30 6	3.8	2.8	30
350	42	908 01 50 6	4.2	2.8	30
400	48	908 01 70 6	4.2	3.0	30

⚠ Meant to over arm machine.

Manufacturing Technology:





Balance



Straight




Tension




Ripping
Sizing & Cutting

Scoring

Hogging



MW - Rip & Cross Cut Saw Blade



Solid wood



Across
& Along

øD	Teeth	Code No.	B	c	ød
180	24	901 01 30 6	3.0	2.0	30
200	24	901 01 40 6	3.0	2.0	30
220	24	901 01 45 6	3.0	2.0	30
250	30	901 01 60 6	3.2	2.2	30
300	36	901 01 70 6	3.2	2.2	30
350	36	901 01 79 6	3.5	2.5	30
	42	901 01 80 6	3.5	2.5	30
400	48	901 01 90 6	3.5	2.5	30
450	54	901 02 00 6	4.0	2.8	30
500	60	901 02 05 6	4.4	3.0	30

Manufacturing Technology:



Balance




Straight




Tension



NOVA Sawing




Ripping
Sizing & Cutting




Scoring



Hogging



MWD - Trimming & Cross Cut Thin Kerf Saw Blade



Solid wood



Across
& Along

øD	Teeth	Code No.	B	c	ød
150	24	901 30 10 6	2.3	1.6	30
180	30	901 30 20 6	2.3	1.6	30
200	34	901 30 30 6	2.3	1.6	30
230	34	901 30 40 6	2.3	1.6	30
250	40	901 30 50 6	2.3	1.6	30
300	48	901 30 60 6	2.3	1.6	30
350	54	901 30 70 6	2.3	1.6	30
380	48	901 30 80 6	2.7	2.0	30

Use a flange whose diameter is half the diameter of the saw blade.

Manufacturing Technology:



Balance



Straight



Tension