

Grooving

Rebating

Profiling



Joining

Frame &
Panel door

Lamello

Multi Profile
system



Grooving Cutter 3 - 6mm



Hand
feed

$\varnothing D$	B	Code No.	Teeth	$\varnothing d$	Max. t	n
125	3	707 001 1	6	30	32	6,100 - 10,500
	4	707 004 1	6	30	32	6,100 - 10,500
	5	707 007 1	6	30	32	6,100 - 10,500
	6	707 010 1	6	30	32	6,100 - 10,500
150	4	707 031 1	6	30	45	5,200 - 9,000
	5	707 034 1	6	30	45	5,200 - 9,000
	6	707 037 1	6	30	45	5,200 - 9,000
180	5	707 055 1	8	30	60	4,300 - 7,500
	6	707 058 1	8	30	60	4,300 - 7,500

Grooving Cutter 8 - 16mm








Hand
feed

$\varnothing D$	B	Code No.	Teeth	$\varnothing d$	Max. t	n
125	8	707 013 1	6	30	32	6,100 - 10,500
	10	707 016 1	6	30	32	6,100 - 10,500
	12	707 019 1	6	30	32	6,100 - 10,500
	14	707 022 1	6	30	32	6,100 - 10,500
	16	707 025 1	6	30	32	6,100 - 10,500
150	8	707 040 1	6	30	45	5,200 - 9,000
	10	707 043 1	6	30	45	5,200 - 9,000
	12	707 046 1	6	30	45	5,200 - 9,000
	14	707 049 1	6	30	45	5,200 - 9,000
	16	707 052 1	6	30	45	5,200 - 9,000



NOVA Cutting



Grooving

Rebating

Profiling



Jointing

Frame &
Panel door

Lamello

Multi Profile
system



Grooving Cutter with Scorers 4 - 6mm



Hand
feed





$\varnothing D$	B	Code No.	Teeth	$\varnothing d$	Max t	n
125	4.0	707 201 1	4+4	30	32	6,200 - 10,500
	5.0	707 204 1	4+4	30	32	6,200 - 10,500
	6.0	707 207 1	4+4	30	32	6,200 - 10,500
150	4.0	707 225 1	4+4	30	45	5,200 - 9,000
	5.0	707 228 1	4+4	30	45	5,200 - 9,000
	6.0	707 231 1	4+4	30	45	5,200 - 9,000
180	5.0	707 249 1	4+4	30	60	4,300 - 7,500
	6.0	707 252 1	4+4	30	60	4,300 - 7,500

Grooving Cutter with Scorers 8 - 16mm



Hand
feed

$\varnothing D$	B	Code No.	Teeth	$\varnothing d$	Max t	n
125	8	707 210 1	4+4	30	32	6,200 - 10,500
	10	707 213 1	4+4	30	32	6,200 - 10,500
	12	707 216 1	4+4	30	32	6,200 - 10,500
	14	707 219 1	4+4	30	32	6,200 - 10,500
	16	707 222 1	4+4	30	32	6,200 - 10,500
150	8	707 234 1	4+4	30	45	5,200 - 9,000
	10	707 237 1	4+4	30	45	5,200 - 9,000
	12	707 240 1	4+4	30	45	5,200 - 9,000
	14	707 243 1	4+4	30	45	5,200 - 9,000
	16	707 246 1	4+4	30	45	5,200 - 9,000



Grooving

Rebating

Profiling



Jointing

Frame & Panel door

Lamello

Multi Profile system

Grooving Cutter with Scorers 4 - 6mm



EN847-1
EN847-2



Hand feed

øD	B	Code No.	Teeth	ød	Max. t	n
125	4	721 001 1	4+4	30	35	6,100 - 10,500
	5	721 002 1	4+4	30	35	6,100 - 10,500
	6	721 003 1	4+4	30	35	6,100 - 10,500
150	4	721 004 1	4+4	30	45	5,200 - 8,900
	5	721 005 1	4+4	30	45	5,200 - 8,900
	6	721 006 1	4+4	30	45	5,200 - 8,900
180	4	721 007 1	8+8	30	55	4,200 - 7,200
	5	721 008 1	8+8	30	55	4,200 - 7,200
	6	721 009 1	8+8	30	55	4,200 - 7,200

Spare parts:



T.C. Blade



T.C. Blade



T.C. Blade Nut



T.C. Blade Nut



Torx screw



Torx key

B = 4mm

#300 850 1
18x18x2

#300 850 2
14x14x1.2

#192 350 0
M4x0.5x11.1

#192 360 0
M4x0.5x9.9

#193 028 0
M4x3.2

#194 110 0
T9

B = 5mm

#300 850 4
18x18x2.5

#300 850 2
14x14x1.2

#192 350 0
M4x0.5x11.1

#192 360 0
M4x0.5x9.9

#193 030 0
M4x4

#194 110 0
T9

B = 6mm

#300 850 5
18x18x2.95

#300 850 2
14x14x1.2

#192 350 0
M4x0.5x11.1

#192 360 0
M4x0.5x9.9

#193 031 0
M4x5.3


#194 110 0
T9




NOVA Cutting




Grooving



Rebating




Profiling



Jointing



Frame &
Panel door





Lamello



Multi Profile
system

Grooving Cutter with Scorers 8 - 12mm



EN847-1
EN847-2



Hand
feed

øD	B	Code No.	Teeth	ød	Max. t	n
125	8	721 010 1	4+4	30	35	6,100 - 10,500
	10	721 011 1	4+4	30	35	6,100 - 10,500
	12	721 012 1	4+4	30	35	6,100 - 10,500
150	8	721 013 1	4+4	30	45	5,200 - 8,900
	10	721 014 1	4+4	30	45	5,200 - 8,900
	12	721 015 1	4+4	30	45	5,200 - 8,900
180	8	721 016 1	4+8	30	55	4,200 - 7,200
	10	721 017 1	4+8	30	55	4,200 - 7,200
	12	721 018 1	4+8	30	55	4,200 - 7,200

Spare parts:



T.C. Blade



Wedge



T.C. Blade



Torx screw



Allen screw



Torx key



Allen key

B= 8mm

#310 751 2
7.5x12x1.5

#199 031 0
L=6.5

#300 850 3
14x14x2

#193 370 0
M5x6.3

#193 060 0
M5x16

#194 106 0
T20

#194 008 0
S2.5

B= 10mm

#300 750 7
9.6x12x1.5

#199 023 0
L=8.5

#300 850 3
14x14x2

#193 370 0
M5x6.3

#193 060 0
M5x16

#194 106 0
T20

#194 008 0
S2.5

B= 12mm

#300 750 9
11.6x12x1.5

#199 032 0
L=10.5

#300 850 3
14x14x2





#193 370 0
M5x6.3

#193 060 0
M5x16

#194 116 0
T20

#194 008 0
S2.5

NOVA Cutting



Grooving

Rebating

Profiling



Jointing

Frame &
Panel door

Lamello

Multi Profile
system

Adjustable Grooving Cutter - with Scorers 6.7 - 13mm



Hand
feed

$\varnothing D$	B	Code No.	Teeth	$\varnothing d$	Max. t	n
150	6.7-13.0	797 104 1	4+4	30	27	5,200 - 9,000



! Adjusting cutting widths, with spacers in increments of 0.1mm.

Spare parts:



Spacer set
#7973041
B=8.3

Adjustable Grooving Cutter with Scorers 12.7 - 25mm



Hand
feed

$\varnothing D$	B	Code No.	Teeth	$\varnothing d$	Max. t	n
150	12.7-25.0	797 107 1	4+4	30	27	5,200 - 9,000

! Adjusting cutting widths, with spacers in increments of 0.1mm.

Spare parts:




Spacer set
#797 307 1
B=16.1




NOVA Cutting




Grooving



Rebating




Profiling



Jointing



Frame &
Panel door





Lamello



Multi Profile
system

Dado Set Grooving Saw Blade 6.3 - 20.7mm




	øD	B	Code No.	Z	c	ød
6" Set						
Complete		6.3-20.7	900 0069 1	18	2.6	30
Saw Blade R	150	3.2	909 0030 1	18	2.6	30
Saw Blade L	150	3.2	909 0040 1	18	2.6	30
Chipper 1/16"	150	1.6	900 061 1	2	1.6	30
Chipper 1/8"	150	3.8	900 062 1 (x2)	2	3.2	30
Chipper 1/4"	150	7.0	900 063 1	2	6.3	30
10" Set						
Complete		6.3-20.7	900 0109 1			
Saw Blade R	250	3.2	909 0090 1	24	2.6	30
Saw Blade L	250	3.2	909 0100 1	24	2.6	30
Chipper 1/16"	250	1.6	900 101 1	2	1.6	30
Chipper 1/8"	250	3.8	900 102 1 (x2)	2	3.2	30
Chipper 1/4"	250	7.0	900 103 1	2	6.3	30
12" Set						
Complete		6.3-20.7	900 0129 5			
Saw Blade R	300	3.2	909 0130 5	24	2.6	30
Saw Blade L	300	3.2	909 0140 5	24	2.6	30
Chipper 1/16"	300	1.6	900 121 5	2	1.6	30
Chipper 1/8"	300	3.8	900 122 5 (x2)	2	3.2	30
Chipper 1/4"	300	7.0	900 123 5	2	6.3	30



A versatile tool which cuts various size grooves from 6.3 up to 20.7 width. Cutting with or across the grain. Natural woods and plywoods.

Spacers For Dado Set



Code No. 192 061 0






It is possible to purchase a set of coloured spacers for Dado Sets. A set of spacers for adjusting the thickness in Dado Saws, to obtain perfect joints.

D - 60.0mm, d = 16.0mm

Colour	Thickness	Qty
Gold	0.05mm	4
Yellow	0.10mm	2
Clear	0.25mm	4
White	0.50mm	4

The different colours allow for immediate identification of the thickness of the spacers.

NOVA Cutting



Grooving

Rebating

Profiling



Jointing

Frame &
Panel door


Lamello

Multi Profile
system

Dado Set Grooving Saw Blade with Chip Limiters 6.3 - 20.7mm



Hand
feed




	øD	B	Code No.	Z	c	ød
6" Set						
Complete	6.3-20.7		900 4190 1			
Saw Blade R	151.3	3.2	909 4150 1	18	2.6	30
Saw Blade L	151.3	3.2	909 4160 1	18	2.6	30
Chipper 1/16"	151.3	1.6	900 491 1	2	1.6	30
Chipper 1/8"	151.3	3.8	900 492 1 (x2)	2	3.2	30
Chipper 1/4"	151.3	7.0	900 493 1	2	6.3	30
8" Set						
Complete	6.3-20.7		900 5190 1			
Saw Blade R	202.3	3.2	909 5150 1	24	2.6	30
Saw Blade L	202.3	3.2	909 5160 1	24	2.6	30
Chipper 1/16"	202.3	1.6	900 591 1	2	1.6	30
Chipper 1/8"	202.3	3.8	900 592 1 (x2)	2	3.2	30
Chipper 1/4"	202.3	7.0	900 593 1	2	6.3	30



A versatile tool which cuts various size grooves from 6.3 up to 20.7 width.
Natural woods and plywoods.
No climbing or kickback.
Fine cut.

Spacers For Dado Set



Code No. 192 061 0

It is possible to purchase a set of coloured spacers for Dado Sets.
A set of spacers for adjusting the thickness in Dado Saws, to obtain perfect joints.

D - 60.0mm, d = 16.0mm

Colour	Thickness	Qty
Gold	0.05mm	4
Yellow	0.10mm	2
Clear	0.25mm	4
White	0.50mm	4

The different colours allow for immediate identification of the thickness of the spacers.